#### §812.10

- (a) Promote or test market an investigational device, until after FDA has approved the device for commercial distribution.
- (b) Commercialize an investigational device by charging the subjects or investigators for a device a price larger than that necessary to recover costs of manufacture, research, development, and handling.
- (c) Unduly prolong an investigation. If data developed by the investigation indicate in the case of a class III device that premarket approval cannot be justified or in the case of a class II device that it will not comply with an applicable performance standard or an amendment to that standard, the sponsor shall promptly terminate the investigation.
- (d) Represent that an investigational device is safe or effective for the purposes for which it is being investigated.

### §812.10 Waivers.

- (a) Request. A sponsor may request FDA to waive any requirement of this part. A waiver request, with supporting documentation, may be submitted separately or as part of an application to the address in §812.19.
- (b) FDA action. FDA may by letter grant a waiver of any requirement that FDA finds is not required by the act and is unnecessary to protect the rights, safety, or welfare of human subjects.
- (c) Effect of request. Any requirement shall continue to apply unless and until FDA waives it.

## §812.18 Import and export requirements.

- (a) Imports. In addition to complying with other requirements of this part, a person who imports or offers for importation an investigational device subject to this part shall be the agent of the foreign exporter with respect to investigations of the device and shall act as the sponsor of the clinical investigation, or ensure that another person acts as the agent of the foreign exporter and the sponsor of the investigation.
- (b) Exports. A person exporting an investigational device subject to this part shall obtain FDA's prior approval,

as required by section 801(e) of the act or comply with section 802 of the act.

 $[45\ {\rm FR}\ 3751,\ {\rm Jan.}\ 18,\ 1980,\ {\rm as}\ {\rm amended}\ {\rm at}\ 62\ {\rm FR}\ 26229,\ {\rm May}\ 13,\ 1997]$ 

### \$812.19 Address for IDE correspondence.

- (a) If you are sending an application, supplemental application, report, request for waiver, request for import or export approval, or other correspondence relating to matters covered by this part, you must send the submission to the appropriate address as follows:
- (1) For devices regulated by the Center for Devices and Radiological Health, send it to Food and Drug Administration, Center for Devices and Radiological Health, Document Mail Center, 10903 New Hampshire Ave., Bldg. 66, rm. G609, Silver Spring, MD 20993–0002.
- (2) For devices regulated by the Center for Biologics Evaluation and Research, send it to the Food and Drug Administration, Center for Biologics Evaluation and Research, Document Control Center, 10903 New Hampshire Ave., Bldg. 71, Rm. G112, Silver Spring, MD 20993-0002.
- (3) For devices regulated by the Center for Drug Evaluation and Research, send it to Central Document Control Room, Center for Drug Evaluation and Research, Food and Drug Administration, 5901–B Ammendale Rd., Beltsville, MD 20705–1266.
- (b) You must state on the outside wrapper of each submission what the submission is, for example, an "IDE application," a "supplemental IDE application," or a "correspondence concerning an IDE (or an IDE application)."

[71 FR 42048, July 25, 2006, as amended at 75 FR 20915, Apr. 22, 2010; 80 FR 18094, Apr. 3, 2015]

# Subpart B—Application and Administrative Action

### §812.20 Application.

(a) Submission. (1) A sponsor shall submit an application to FDA if the sponsor intends to use a significant risk device in an investigation, intends